


TITAN

by Rößler

professional - reliable - accurate





butt stock:

You are able to select from four different material-form combinations.

safety:

The sliding safety catch is located comfortably at the stock wrist of action and can be operated almost silently.

receiver:

Depending on the model, the receiver is available made of anodized aluminum in black or silver or out of carbonitratated steel. Left and semi-left versions are in some cases available.

magazine insert:

The pressure mechanism of the magazine inserts makes loading and unloading the weapon easy and comfortable.

trigger:

Depending on the model, single set or shot gun trigger are available.

Contents

2	Features	8	Configuration Variants	11	Interchangeable Barrel System
4	< TITAN 3® >, < TITAN 6® >	9	Accessories and Options	12	Configurator
6	< TITAN 16® > straight pull	10	Calibre Range		

changing the barrel:

The technology connecting the barrel with the receiver makes it possible to change the barrel simply and quickly.



stock forearm:

The stock is provided with a non-slip fish-skin and, depending upon the model selected, either as a straight comb or with drip projection.

barrel:

The barrel is made of specialty rifle-barrel steel. Depending on the model, it is available in the options „stainless“, „burnished“ or „carbonitrated“.

barrel combinations:

< TITAN > bolt action rifles are available in numerous combinations of options with respect to barrel length, calibre and form.

TITAN⁶ TITAN³ TITAN¹⁶ *straight pull*



Titan Standard



Titan Luxury



Titan Exclusive



Titan All-Round



Titan Target

Professional, reliable, accurate - our classic < TITAN 6® > and < TITAN 3® > have convinced hunting enthusiasts for over a decade now on account of the most modern technology and timelessly elegant design.

Hunting success and hunting sportsmanship are decisively supported by the high precision of these bolt action rifles and their simple and intuitive handling in the crucial seconds before the shot.

We provide our < TITAN 6® > and < TITAN 3® > in all important calibres, from the .222Rem to .375Ruger in order to do justice to the most diverse hunting situations and the individual needs of the hunter.

< TITAN > Shooters have also celebrated numerous successes in the field of sport shooting. We have introduced the "Target" version with its sporty match-stock in our product portfolio for that reason and here, too, we remain faithful to our high standards of professionalism, reliability and accuracy.







Titan Luxury Stutzen



Titan Exclusive Stutzen

TITAN 6 TITAN 3



1 The barrel is manufactured from specialist gun barrel steel and fitted in the action casing with a recoil bed. This technology allows for an interchangeable barrel system, which in turn allows the hunter to change calibre for different quarry species. A great plus point for the hunter, who may want to use the same weapon for both hunting from a hide and tracking.

2 Loading and unloading the weapon is very straightforward using the detachable magazine. Extended magazines are available.

3 The firing pin is cocked using a double tension guide with a chamber opening angle of 60°. This means the repeating action is easy and fast.

4 + 5 The cylinder breech block is equipped with a six lug bolt locking mechanism. The lugs are arranged in three rows of two to ensure a large contact surface in the barrel and this provides maximum safety.

4 TITAN 3 with 3 bolt lugs

5 TITAN 6 with 6 bolt lugs



Titan 16 Standard



Titan 16 All-Round



Titan 16 Luxury



Titan 16 Exclusive



The < TITAN 16® > straight pull is the youngest member of our < TITAN > family.

This mechanism was developed especially for hunting situations which demand high speed and precision at the same time. This system makes it possible to keep game continuously in the sights and reloading at the same time. The combination of the straight-pull mechanism with our classical bolt-locking mechanism guarantees the shooter maximal safety together with the best possible precision.

Repeating action is highly ergonomic and thus provides for especially easy handling. The semi-gloss look of the barrel and the system casing imparts outstanding elegance and the carbonitrated surface assures maximum rust-resistance.

As with all of our < TITAN > products, the < TITAN 16® > straight pull can be individually configured to meet your personal requirements on the basis of the extensive range of calibres.

TITAN¹⁶ *straight pull*



1 The barrel is made of specialty rifle-barrel steel and fitted in the receiver with a recoil bed. This technology allows the barrel to be changed easily. This is a major advantage for hunters who want to use the same weapon for sitting-stand game and drive hunts.



2 The insert magazine makes loading and unloading the weapon very comfortable and straightforward. The optionally available drive-hunt magazine increases the load capacity up to four or, respectively, five cartridges.



3 The cylinder breech block is equipped with a sixteen lug bolt locking mechanism. The lugs, arranged in eight rows of two, ensure a large contact surface in the barrel and thus provide maximum safety.



4 The straight-pull mechanism allows for ergonomic and straight-line repeating. This technology ensures rapid reloading. The somewhat forward-positioned bolt-lever guarantees that the bolt-lock mechanism can be securely pulled through to the end-point, which ensures jam-free feeding of ammunition.



Configuration Variants

general specifications

stock material
cheek piece
butt plate
stock forearm
weight
cone angle

receiver

high-strength aluminum
steel

receiver surface

black anodized
silver anodized
black semi-gloss carbonitrided

bolt head

bolt knob
closed bolt knob

surface finishing barrel

special rifle barrel - burnished
special rifle barrel-steel stainless
special rifle barrel-steel carbonitratred

trigger

shot gun trigger (weight approx. 1000gr)
as above w/ gold-plated trigger blade
single set trigger (1000gr, adjustable)

sight

without sight
sight black anodized
sight silver anodized
fibre optical sight black anodized
fibre optical sight silver anodized
battue sight

< TITAN 3* > | < TITAN 6* >

All-Round	Standard	Luxury	Lux. Stutzen	Exclusive	Excl. Stutzen	Target
polymer	walnut	walnut	walnut	walnut	walnut	lamin. wood
-	Monte Carlo	Bavarian	Bavarian	Bavarian; DR*	Bavarian; DR*	adjustable
rubber	rubber	rubber	rubber	rubber	rubber	rubber
straight	straight	bead; ebony	bead; ebony	bead; ebony	bead; ebony	straight
approx. 3 kg	approx. 3 kg	approx. 3 kg	approx. 3 kg	approx. 3 kg	approx. 3 kg	from approx. 3.5 kg
60°	60°	60°	60°	60°	60°	60°
•	•	•	•	•	•	•
/	/	/	/	/	/	/
•	•	•	•	•	•	•
◇	◇	◇	◇	◇	◇	◇
/	/	/	/	/	/	/
•	•	•	•	•	•	•
◇	◇	◇	◇	◇	◇	◇
•	•	•	•	•	•	•
◇	◇	◇	◇	◇	◇	◇
/	/	/	/	/	/	/
•	•	•	•	•	•	•
◇	◇	◇	◇	◇	◇	◇
◇	◇	◇	◇	◇	◇	◇
◇	◇	◇	◇	◇	◇	◇
◇	◇	◇	◇	◇	◇	◇
◇	◇	◇	◇	◇	◇	◇
◇	◇	◇	◇	◇	◇	◇

< TITAN 16® > straight pull

All-Round	Standard	Luxury	Exclusive
polymer	walnut	walnut	walnut
-	Monte Carlo	Bavarian	Bavarian; DR*
rubber	rubber	rubber	rubber
straight	straight	bead; ebony	bead; ebony
approx. 3,15kg	approx. 3,15kg	approx. 3,15kg	approx. 3,15kg
/	/	/	/
/	/	/	/
•	•	•	•
/	/	/	/
/	/	/	/
•	•	•	•
•	•	•	•
/	/	/	/
/	/	/	/
•	•	•	•
•	•	•	•
◇	◇	◇	◇
/	/	/	/
•	•	•	•
◇	◇	◇	◇
/	/	/	/
◇	◇	◇	◇
/	/	/	/
/	/	/	/

* DR = double rabbit • standard version ◇ as an option / not available

additional options

shorten stock
left-handed stock
muzzle brake
rifle without barrel
rifle without barrel and breech
interchangeable barrel
interchangeable barrel incl bolt

available accessories

bolt without firing unit
magazine 2 or 3 shots
magazine 4 or 5 shots
removable sling swivel
Weaver mounting base
Weaver rail
monogram plate for pistol grip
bipod aluminum black

< TITAN 3* > | < TITAN 6* >

All-Round	Standard	Luxury	Lux. Stutzen	Exclusive	Excl. Stutzen	Target
◇	◇	◇	◇	◇	◇	/
◇	/	◇	◇	◇	◇	◇
◇	◇	◇	◇	◇	◇	◇
◇	◇	◇	◇	◇	◇	◇
◇	◇	◇	◇	◇	◇	◇
◇	◇	◇	◇	◇	◇	◇
/	/	/	/	/	/	/
◇	◇	◇	◇	◇	◇	◇
◇	◇	◇	◇	◇	◇	◇
◇	◇	◇	◇	◇	◇	◇
◇	◇	◇	◇	◇	◇	◇
/	/	◇	◇	◇	◇	/
◇	◇	◇	◇	◇	◇	◇


< TITAN 16* > straight pull

All-Round	Standard	Luxury	Exclusive
◇	◇	◇	◇
/	/	/	/
◇	◇	◇	◇
/	/	/	/
/	/	/	/
/	/	/	/
◇	◇	◇	◇
/	/	/	/
◇	◇	◇	◇
◇	◇	◇	◇
◇	◇	◇	◇
◇	◇	◇	◇
/	/	◇	◇
◇	◇	◇	◇

The elegant sights for < TITAN > repeaters are available in four different versions, optionally also with fiberglass inlays.



Upon request, the < TITAN > will be configured at the factory with a pre-mounted two-part Weaver mounting base or a single-part Weaver rail.



As an option, the barrel is provided with a pre-mounted muzzle brake.



Our burnished steel monogram plates are available with or without engraving.



Calibre Range

calibre ●		barrel ●									
Ø in mm barrell lenght in mm		15mm, burnished					19mm, burnished				
		510	560	610	650	700	510	560	610	650	700
< TITAN 3° >	.222Rem.	●	●	◇	◇	◇	●	●	●	◇	◇
	.223Rem.	●	●	◇	◇	◇	●	●	●	◇	◇
	5,6x50Mag.	●	●	◇	◇	◇	◇	◇	◇	◇	◇
	.300Whisper	◇	◇	◇	◇	◇	◇	◇	◇	◇	◇
	.22-250Rem.	●	●	●	◇	◇	●	●	●	◇	◇
	6mmNormaBR	◇	◇	◇	◇	◇	●	●	●	◇	◇
	7,62x39	●	●	●	◇	◇	◇	◇	◇	◇	◇
< TITAN 6° >	.243Win.	●	●	◇	◇	◇	●	●	●	◇	◇
	6,5x55Se	●	●	◇	◇	◇	●	●	●	◇	◇
	6,5x57	●	●	◇	◇	◇	◇	◇	◇	◇	◇
	6,5x65RWS	●	●	●	◇	◇	◇	◇	◇	◇	◇
	7mm-08Rem.	●	●	◇	◇	◇	◇	◇	◇	◇	◇
	7x57	●	●	◇	◇	◇	◇	◇	◇	◇	◇
	.308Win.	●	●	●	◇	◇	●	●	●	◇	◇
	.358Win.	●	●	●	◇	◇	◇	◇	◇	◇	◇
	8x57IS	●	●	◇	◇	◇	◇	◇	◇	◇	◇
	.25-06Rem.	●	●	◇	◇	◇	●	●	●	◇	◇
	.270Win.	●	●	●	◇	◇	●	●	●	◇	◇
	7x64	●	●	●	◇	◇	◇	◇	◇	◇	◇
	.30-06Spring	●	●	●	◇	◇	●	●	●	◇	◇
	6,5x47Lapua	◇	◇	◇	◇	◇	●	●	●	◇	◇
	6,5-284Norma	●	●	◇	◇	◇	●	●	●	◇	◇
	9,3x62	●	●	◇	◇	◇	●	●	●	◇	◇
	8,5x63Reb	●	●	◇	◇	◇	◇	◇	◇	◇	◇
	8x68S	●	●	●	◇	◇	◇	◇	◇	◇	◇
	6,5x68	●	●	●	●	◇	◇	◇	◇	◇	◇
	7mmRem.Mag.	●	●	●	●	◇	◇	◇	◇	◇	◇
	.300Win.Mag.	●	●	●	●	◇	●	●	●	●	◇
	.375Ruger	/	/	/	/	/	●	●	●	●	◇
	.270WSM	●	●	●	◇	◇	◇	◇	◇	◇	◇
	.300WSM	●	●	●	◇	◇	◇	◇	◇	◇	◇
	.338Win.Mag.	●	●	●	◇	◇	◇	◇	◇	◇	◇

calibre ●		barrel ●									
Ø in mm barrell lenght in mm		15mm, carbonitrated					19mm, carbonitrated				
		510	560	610	650	700	510	560	610	650	700
< TITAN 16° > straight pull	.243Win.	●	●	◇	◇	◇	●	●	●	◇	◇
	6,5x55Se	●	●	◇	◇	◇	●	●	●	◇	◇
	6,5x57	●	●	◇	◇	◇	◇	◇	◇	◇	◇
	6,5x65RWS	●	●	●	◇	◇	◇	◇	◇	◇	◇
	7mm-08Rem.	●	●	◇	◇	◇	◇	◇	◇	◇	◇
	7x57	●	●	◇	◇	◇	◇	◇	◇	◇	◇
	.308Win.	●	●	●	◇	◇	●	●	●	◇	◇
	.358Win.	●	●	●	◇	◇	◇	◇	◇	◇	◇
	8x57IS	●	●	◇	◇	◇	◇	◇	◇	◇	◇
	.25-06Rem.	●	●	◇	◇	◇	●	●	●	◇	◇
	.270Win.	●	●	◇	◇	◇	●	●	●	◇	◇
	7x64	●	●	●	◇	◇	◇	◇	◇	◇	◇
	.30-06Spring	●	●	●	◇	◇	●	●	●	◇	◇
	6,5x47Lapua	◇	◇	◇	◇	◇	●	●	●	◇	◇
	6,5-284Norma	●	●	◇	◇	◇	●	●	●	◇	◇
	9,3x62	●	●	◇	◇	◇	●	●	●	◇	◇
	8,5x63Reb	●	●	◇	◇	◇	◇	◇	◇	◇	◇
	8x68S	●	●	●	◇	◇	◇	◇	◇	◇	◇
	7mmRem.Mag.	●	●	●	◇	◇	◇	◇	◇	◇	◇
	.300Win.Mag.	●	●	●	◇	◇	●	●	●	●	◇
	.375Ruger	/	/	/	/	/	●	●	●	●	◇
	.270WSM	●	●	●	◇	◇	◇	◇	◇	◇	◇
	.300WSM	●	●	●	◇	◇	◇	◇	◇	◇	◇
	.338Win.Mag.	●	●	●	◇	◇	◇	◇	◇	◇	◇

- standard version
- ◇ as an option
- / not available

At extra charge, each of the barrel combinations listed is also available in the Version „stainless“ in the dimensions 17, 22 and 25 mm as well as in the interchangeable barrel version.

< TITAN 6° >

< TITAN 3° >

< TITAN 16° > straight pull

	calibre ●	bolt locking mechanism group ●						magazine group ● ●
		.222Rem	6mmNormaBR	7,62x39	Standard	Medium	Magnum	
< TITAN 3® >	.222Rem.	•						T3
	.223Rem.	•						T3
	5,6x50Mag.	•						T3
	.300Whisper	•						T3
	.22-250Rem.		•					.22-250Rem.
	6mmNormaBR		•					6mmNormaBR
	7,62x39			•				7,62x39
< TITAN 6® >	.243Win.				•			short
	6,5x55Se				•			short
	6,5x57				•			short
	6,5x65RWS				•			short
	7mm-08Rem.				•			short
	7x57				•			short
	.308Win.				•			short
	.358Win.				•			short
	8x57IS				•			short
	.25-06Rem.				•			Standard
	.270Win.				•			Standard
	7x64				•			Standard
	.30-06Spring				•			Standard
	6,5x47Lapua				•			6,5x47Lapua
	6,5-284Norma				•			6,5-284Norma
	9,3x62				•			9,3x62
	8,5x63Reb				•			338Win.Mag.
	8x68S					•		8x68S
	6,5x68					•		Magnum
	7mmRem.Mag.						•	Magnum
	.300Win.Mag.						•	Magnum
	.375Ruger						•	Magnum
	.270WSM						•	WSM
	.300WSM						•	WSM
	.338Win.Mag.						•	.338Win.Mag.

< TITAN 6® >

< TITAN 3® >

< TITAN 16® > straight pull

When purchasing an interchangeable barrel for the <TITAN 6®> or <TITAN 3®>, make sure that the calibres and the bolt locking mechanism are matched. If the desired calibre belongs to a different magazine group, also order a matching magazine.


Barrel and breech lock always form a unit in the <TITAN 16®> straight pull. Please check the magazine group tables to see whether the magazine has to be exchanged.

Interchangeable Barrel System



→ CONFIGURATOR

Our outstanding model-system provides you the chance to find and configure your own very personal dream weapon among the numerous possible combinations! To make your decision a little easier, we developed an interactive Configurator for our website which will help you to „click“ your way through to your desired configuration.



You will find our Configurator at: www.titan6.com

Subject to technical modifications. Country-specific differences in the model-configurations are possible.

Röbler Waffen GmbH
(Roessler Waffen GmbH)
Prof. Schlosser-Str. 31
A-6330 Kufstein
office@titan6.com • www.titan6.com

Layout and photography:
Kurt Härting Headrooms Werbeagentur
www.headrooms.net

Dealer stamp